AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

 (previously presented): A hyaluronic acid compound represented by the following formula (1):

wherein R⁰ is a group represented by the following formula (1)'-a, -OH or -ONa,

wherein R^{01} is an alkenyl group having 10 to 28 carbon atoms, and n is an integer of 50 to 50,000, with the proviso that 1 to 100 % of R^{0} is the group represented by the above formula (1)'-a.

- (original): The hyaluronic acid compound according to claim 1, wherein n is 300 to 30,000.
- (previously presented): The hyaluronic acid compound according to claim 1, wherein two R⁰¹CO-'s in the formula (1)'-a are both oleoyl groups.

- (original): A hydrogel of the hyaluronic acid compound of any one of claims 1 to
- (original): A molded form of the hyaluronic acid compound of any one of claims
 1 to 3.
- (previously presented): A joint treating material comprising a hyaluronic acid compound represented by the following formula (1):

wherein R is a group represented by the following formula (1)-a, -OH or -ONa,

$$\begin{array}{c} \text{CH}_2\text{OCOR}^1 \\ | \\ \text{R}^1\text{CO}_2\text{CH} & \text{O} \\ | & \text{CH}_2\text{O} - \text{P} - \text{O} - \text{CH}_2\text{CH}_2\text{NH} - \dots \\ | & \text{O}^* & & & & & & & & & & & & & \\ \end{array}$$

wherein R1 is an alkyl group or alkenyl group having 10 to 28 carbon atoms,

and n is an integer of 50 to 50,000, with the proviso that 1 to 100 % of R is the group represented by the above formula (1)-a.

(previously presented): The joint treating material according to claim 6, wherein
R¹ is an alkyl group or alkenyl group having 14 to 20 carbon atoms and n is an integer of 1,000
to 10,000.

8. (previously presented): A method of using a hyaluronic acid compound comprising inserting a joint treating material prepared from a hyaluronic acid compound represented by the following formula (1):

wherein R is a group represented by the following formula (1)-a, -OH or -ONa,

wherein R^1 is an alkyl group or alkenyl group having 10 to 28 carbon atoms, and n is an integer of 50 to 50,000, with the proviso that 1 to 100 % of R is the group represented by the above formula (1)-a,

into the joint of a patient.

 (new): The molded form of claim 5, wherein the molded form is a sponge, nonwoven cloth or film.